

4

3

2

1

INSTALLATION TYPE: BOTTOM SUPPORTED STRUCTURE APPLICATION
MIN. DESIGN SERVICE TEMPERATURE: 6° F

(2) MODEL 130 SWING GEARBOXES

Ø147 5/8 TAILSWING

CONTROL VALVES

GEARBOX CAGE

45°

18" MANWAY

RADIO RECEIVER &
HYDRAULIC MANIFOLD
TO BE INSTALLED HERE
NOT SHOWN FOR CLARITY

TWG 1241 WINCH
W/ 450FT. OF 5/8" 19 X 7 EIPS-IWRC

ANTI-TWO BLOCK SYSTEM

SECTION A-A
PEDESTAL ORIENTATION

TECHCRANE

(2) 7 X 80 CYLINDERS

TELESCOPIC GEARBOX

152 1/2

LOAD LINE

219 1/4

18" MANWAY

CONTROL VALVES

79

110 3/8

550 RETRACTED

INFORMATION CONTAINED HEREON IS
CONFIDENTIAL AND TRADE SECRET
DO NOT DISCLOSE, USE OR REPRODUCE
WITHOUT PRIOR WRITTEN APPROVAL
FROM TECHCRANE INTERNATIONAL LLC.

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
[] INDICATES MILLIMETERS

TOLERANCES

FRACTIONAL DIMENSIONS +1/16/-0
SURFACE FINISHES 125√

DESIGNED BY:

F. SHAD

DRAWN BY:

L. BAYLIS

WEIGHT:

N/A

APPROVED BY:

FILE NAME:

FILED: SERIES: T30-45-75 - PRODUCTION DRAWINGS - MODEL: T30-45-75 FLINT HILL - JOB # 12866

MATERIAL NOTES:

1. BURN PER DIMENSIONS SHOWN.
2. PLATE FLATNESS AFTER BURNING TO BE WITHIN ASTM SPECIFICATIONS.
3. REFER TO API SPEC 2C LATEST EDITION.
4. WHERE APPLICABLE - ROLL FORM PER DIMENSIONS SHOWN.
5. WHERE APPLICABLE - TACK WELD AS REQUIRED TO SECURE ROLLED CAN.

DESIGN STATE:

Work In Progress

MATERIAL:



TECHCRANE INTERNATIONAL, LLC.

17639 HARD HAT DRIVE COVINGTON, LA. 70435 U.S.A.
PHONE (985) 871-0056 FAX (985) 871-0065

T30-45-75
FLINT HILL - JOB # 12866

DATE:

3/26/2015

REVISION NO.:

2.3

PART/DWG. NO.:

PRESENTATION

SHEET 1 OF 4

4

3

2

1

4

3

2

1

D

D

C


C

B

B

A

A



PART/DWG. NO.:

PRESENTATION

INFORMATION CONTAINED HEREON IS
CONFIDENTIAL AND TRADE SECRET
DO NOT DISCLOSE, USE OR REPRODUCE
WITHOUT PRIOR WRITTEN APPROVAL
FROM TECHCRANE INTERNATIONAL LLC.

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
[] INDICATES MILLIMETERS

TOLERANCES

FRACTIONAL DIMENSIONS $\pm \frac{1}{16}$ / -0
SURFACE FINISHES 125V

DESIGNED BY:

F. SHAD

DRAWN BY:

L. BAYLIS

WEIGHT:

N/A

APPROVED BY:**FILE NAME:**

PLOT - SERIES CRANE54 - PRODUCTION DRAWINGS - MODEL BAUTOCRAN-PT30-45-75-FLINT HILL - JOB # 12866.dwg

MATERIAL NOTES:

1. BURN PER DIMENSIONS SHOWN.
2. PLATE FLATNESS AFTER BURNING TO BE WITHIN ASTM SPECIFICATIONS.
3. REFER TO API SPEC 2C LATEST EDITION.
4. WHERE APPLICABLE - ROLL FORM PER DIMENSIONS SHOWN.
5. WHERE APPLICABLE - TACK WELD AS REQUIRED TO SECURE ROLLED CAN.

DESIGN STATE:

WorkInProgress

MATERIAL:**TECHCRANE INTERNATIONAL, LLC.**

17639 HARD HAT DRIVE COVINGTON, LA. 70435 U.S.A.
PHONE (985) 871-0056 FAX (985) 871-0065

T30-45-75
FLINT HILL - JOB # 12866

DATE:

3/26/2015

REVISION NO.:

2.3

SHEET 2 OF 4

4

3

2

1

D

D

C


C

B


B

A

A



RETRACTED BOOM UP VIEW

INFORMATION CONTAINED HEREON IS CONFIDENTIAL AND TRADE SECRET DO NOT DISCLOSE, USE OR REPRODUCE WITHOUT PRIOR WRITTEN APPROVAL FROM TECHCRANE INTERNATIONAL LLC.	DESIGNED BY: F. SHAD	MATERIAL NOTES: 1. BURN PER DIMENSIONS SHOWN. 2. PLATE FLATNESS AFTER BURNING TO BE WITHIN ASTM SPECIFICATIONS. 3. REFER TO API SPEC 2C LATEST EDITION 4. WHERE APPLICABLE - ROLL FORM PER DIMENSIONS SHOWN. 5. WHERE APPLICABLE - TACK WELD AS REQUIRED TO SECURE ROLLED CAN.	 TECHCRANE INTERNATIONAL, LLC. 17639 HARD HAT DRIVE COVINGTON, LA. 70435 U.S.A. PHONE (985) 871-0056 FAX (985) 871-0065	
	DRAWN BY: L. BAYLIS			
	WEIGHT: N/A			
	APPROVED BY:			
UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES [] INDICATES MILLIMETERS			T30-45-75 FLINT HILL - JOB # 12866	
<u>TOLERANCES</u> FRACTIONAL DIMENSIONS $\pm \frac{1}{16}$ / -0 SURFACE FINISHES 125V		DESIGN STATE: WorkInProgress	DATE: 3/26/2015	REVISION NO.: 2.3
	FILE NAME: C:\01 - 2005\CAMERA - PRODUCTION DRAWINGS - MODEL\0107010-45-3T30-45-FLINT HILL - JOB # 12866.dwg	MATERIAL:		
	SHEET 3 OF 4			

PRESENTATION

4

3

2

1

4

3

2

1

D

D

C

C

B

B

A

A

BOOM UP EXTRACTED VIEW

1086 3/8

81°

73 13/16

159 1/8

PART/DWG. NO.:

PRESENTATION

INFORMATION CONTAINED HEREON IS
CONFIDENTIAL AND TRADE SECRET
DO NOT DISCLOSE, USE OR REPRODUCE
WITHOUT PRIOR WRITTEN APPROVAL
FROM TECHCRANE INTERNATIONAL LLC.

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE IN INCHES
[] INDICATES MILLIMETERS

TOLERANCES

FRACTIONAL DIMENSIONS $\pm \frac{1}{16}$ / -0
SURFACE FINISHES 125V

DESIGNED BY:

F. SHAD

DRAWN BY:

L. BAYLIS

WEIGHT:

N/A

APPROVED BY:

FILE NAME:

C:\01 - SERIES 30-75 - PRODUCTION DRAWINGS - MODEL 30T30-45-75 FLINT HILL - JOB # 12866.dwg

MATERIAL NOTES:

1. BURN PER DIMENSIONS SHOWN.
2. PLATE FLATNESS AFTER BURNING TO BE WITHIN ASTM SPECIFICATIONS.
3. REFER TO API SPEC 2C LATEST EDITION.
4. WHERE APPLICABLE - ROLL FORM PER DIMENSIONS SHOWN.
5. WHERE APPLICABLE - TACK WELD AS REQUIRED TO SECURE ROLLED CAN.

DESIGN STATE:

WorkInProgress

MATERIAL:



TECHCRANE INTERNATIONAL, LLC.

17639 HARD HAT DRIVE COVINGTON, LA. 70435 U.S.A.
PHONE (985) 871-0056 FAX (985) 871-0065

T30-45-75
FLINT HILL - JOB # 12866

DATE:

3/26/2015

REVISION NO.:

2.3

SHEET 4 OF 4